Author Index

Alexandre Franco, M.F., see Galeano Diaz, T. 231

Abraham, M.H., see Torres-Lapasió, J.R. 209

Antonelli, A.

—, Cocchi, M., Fava, P., Foca, G., Franchini, G.C., Manzini, D. and Ulrici, A.

Automated evaluation of food colour by means of multivariate image analysis coupled to a wavelet-based classification algorithm 3

Baeza-Baeza, J.J.

- and Ramis-Ramos, G.

Analysis of the sensitivity to the systematic error in least-squares regression models 15

Balestrieri, F., see Marini, F. 117

Bendahan, M., see Lauque, P. 279

Billon, M., see Dupont-Filliard, A. 271

Billová, S., see Šedo, O. 261

Booksh, K.S., see Gentleman, D.J. 291

Boqué, R., see Guimet, F. 75

Bosch, E., see Torres-Lapasió, J.R. 209

Buydens, L., see Todeschini, R. 1

Büyükkasap, E., see Turgut, Ü. 349

Callao, M.P., see Pasamontes, A. 159

Casais, M.C., see Martínez-Pontevedra, J.A. 127

Casale, M., see Forina, M. 43

Casolino, C., see Forina, M. 43

Cela, R., see Martínez-Pontevedra, J.A. 127

Cocchi, M., see Antonelli, A. 3

Comas, E.

—, Ferré, J. and Xavier Rius, F.

Graphical criterion for assessing trilinearity and selecting the optimal number of factors in the generalized rank annihilation method using liquid chromatography—diode array detection data

Concepción Cerrato Oliveros, M., see Forina, M. 43

Consonni, V., see Todeschini, R. 199

Cruz Ortiz, M., see García, I. 55

de la Torre, R., see Jiménez, C. 323

Duponchel, L., see Ruckebusch, C. 183

Dupont-Filliard, A.

-, Billon, M., Livache, T. and Guillerez, S.

Biotin/avidin system for the generation of fully renewable DNA sensor based on biotinylated polypyrrole film 271

El-Shahawi, M.S., see Othman, A.M. 303

Ertuğrul, M., see Turgut, Ü. 349

Esteban-Díez, I.

-, González-Sáiz, J.-M. and Pizarro, C.

OWAVEC: a combination of wavelet analysis and an orthogonalization algorithm as a pre-processing step in multivariate calibration 31

Fabretti, F., see Marini, F. 117

Fava, P., see Antonelli, A. 3

Ferré, J., see Comas, E. 23

Ferré, J., see Guimet, F. 75

Foca, G., see Antonelli, A. 3

Forina, M.

—, Concepción Cerrato Oliveros, M., Casolino, C. and Casale, M. Minimum spanning tree: ordering edges to identify clustering structure 43

Franchini, G.C., see Antonelli, A. 3

Fukushima, T., see Min, J.Z. 243

Galindo-Riaño, M.D., see Mendiguchía, C. 143

García, I.

-, Sarabia, L., Cruz Ortiz, M. and Manuel Aldama, J.

Three-way models and detection capability of a gas chromatographymass spectrometry method for the determination of clenbuterol in several biological matrices: the 2002/657/EC European Decision

García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 209

García-Vargas, M., see Mendiguchía, C. 143

Garrido, M.

-, Lázaro, I., Larrechi, M.S. and Rius, F.X.

Multivariate resolution of rank-deficient near-infrared spectroscopy data from the reaction of curing epoxy resins using the rank augmentation strategy and multivariate curve resolution alternating least squares approach 65

Gentleman, D.J.

—, Obando, L.A., Masson, J.-F., Holloway, J.R. and Booksh, K.S. Calibration of fiber optic based surface plasmon resonance sensors

Calibration of fiber optic based surface plasmon resonance sensors in aqueous systems 291

González-Sáiz, J.-M., see Esteban-Díez, I. 31

Goupy, J., see Saint-Denis, T. 191

Guillerez, S., see Dupont-Filliard, A. 271

Guimet, F.

-, Ferré, J., Boqué, R. and Xavier Rius, F.

Application of unfold principal component analysis and parallel factor analysis to the exploratory analysis of olive oils by means of excitation—emission matrix fluorescence spectroscopy 75

Havel, J., see Šedo, O. 261

Holloway, J.R., see Gentleman, D.J. 291

Hubert, M., see Vanden Branden, K. 229

Huvenne, J.P., see Ruckebusch, C. 183

Jiang, Y.-B., see Sun, X.-Y. 285

Jiménez, C.

-, Ventura, R., Segura, J. and de la Torre, R.

Protocols for stability and homogeneity studies of drugs for its application to doping control 323

Jurado-López, A., see Ortiz, M.C. 151

Kato, M., see Min, J.Z. 243

Knauth, P., see Lauque, P. 279

Larrechi, M.S., see Garrido, M. 65

Lauque, P.

—, Bendahan, M., Seguin, J.-L., Ngo, K.A. and Knauth, P. Highly sensitive and selective room temperature NH₃ gas microsensor using an ionic conductor (CuBr) film 279

Lázaro, I., see Garrido, M. 65

Li, X.

-, Ma, H., Nie, L., Sun, M. and Xiong, S.

A novel fluorescent probe for selective labeling of histidine 255

Liu, B., see Sun, X.-Y. 285

Livache, T., see Dupont-Filliard, A. 271

Lletí, R.

-, Ortiz, M.C., Sarabia, L.A. and Sánchez, M.S.

Selecting variables for k-means cluster analysis by using a genetic algorithm that optimises the silhouettes 87

Lopes, J.A.

- and Menezes, J.C.

Multivariate monitoring of fermentation processes with non-linear modelling methods 101

López-Cueto, G.

-, Ostra, M., Ubide, C. and Zuriarrain, J.

Fenton's reagent for kinetic determinations 109

Luque de Castro, M.D., see Morales-Muñoz, S. 343

Luque de Castro, M.D., see Ortiz, M.C. 151

Luque-García, J.L., see Morales-Muñoz, S. 343

Ma, H., see Li, X. 255

Magrì, A.L., see Marini, F. 117

Manohar, S.B., see Scindia, Y.M. 311

Manuel Aldama, J., see García, I. 55

Manzini, D., see Antonelli, A. 3

Marini, D., see Marini, F. 117

Marini, F.

—, Magrì, A.L., Balestrieri, F., Fabretti, F. and Marini, D. Supervised pattern recognition applied to the discrimination of the floral origin of six types of Italian honey samples 117

Martínez-Pontevedra, J.A.

-, Pensado, L., Casais, M.C. and Cela, R.

Automated off-line optimisation of programmed elutions in reversedphase high-performance liquid chromatography using ternary solvent mixtures 127

Masson, J.-F., see Gentleman, D.J. 291

Mauri, A., see Todeschini, R. 199

Mendiguchía, C.

—, Moreno, C., Galindo-Riaño, M.D. and García-Vargas, M.
 Using chemometric tools to assess anthropogenic effects in river water.
 A case study: Guadalquivir River (Spain) 143

Menezes, J.C., see Lopes, J.A. 101

Min, J.Z.

-, Toyo'oka, T., Fukushima, T. and Kato, M.

Synthesis and evaluation of new fluorescent derivatization reagents for resolution of chiral amines by RP-HPLC 243

Morales-Muñoz, S.

-, Luque-García, J.L. and Luque de Castro, M.D.

A continuous approach for the determination of Cr(VI) in sediment and soil based on the coupling of microwave-assisted water extraction, preconcentration, derivatization and photometric detection 343

Moreno, C., see Mendiguchía, C. 143

Ngo, K.A., see Lauque, P. 279

Nie, L., see Li, X. 255

Obando, L.A., see Gentleman, D.J. 291

Ortiz, M.C.

—, Sarabia, L., Jurado-López, A. and Luque de Castro, M.D. Minimum value assured by a method to determine gold in alloys by using laser-induced breakdown spectroscopy and partial least-squares calibration model 151

Ortiz, M.C., see Lletí, R. 87

Ostra, M., see López-Cueto, G. 109

Othman, A.M.

-, Rizk, N.M.H. and El-Shahawi, M.S.

Polymer membrane sensors for sildenafil citrate (Viagra) determination in pharmaceutical preparations 303

Paleček, E., see Šedo, O. 261

Pandey, A.K., see Scindia, Y.M. 311

Pasamontes, A.

- and Callao, M.P.

Determination of amoxicillin in pharmaceuticals using sequential injection analysis and multivariate curve resolution 159

Pavan, M.

- and Todeschini, R.

New indices for analysing partial ranking diagrams 167

Pavan, M., see Todeschini, R. 199

Peña-Méndez, E.M., see Šedo, O. 261

Pensado, L., see Martínez-Pontevedra, J.A. 127

Pizarro, C., see Esteban-Díez, I. 31

Ramis-Ramos, G., see Baeza-Baeza, J.J. 15

Reddy, A.V.R., see Scindia, Y.M. 311

Rius, F.X., see Garrido, M. 65

Rizk, N.M.H., see Othman, A.M. 303

Rosés, M., see Torres-Lapasió, J.R. 209

Ruckebusch, C.

-, Duponchel, L., Huvenne, J.P. and Saurina, J.

Matrix merging arrangements for the study protein dynamics by timeresolved step-scan Fourier transform infrared spectroscopy and multivariate curve resolution 183

Saint-Denis, T.

- and Goupy, J.

Optimization of a nitrogen analyser based on the Dumas method 191 Salem, H.

Selective spectrophotometric determination of phenolic β -lactam antibiotics in pure forms and in their pharmaceutical formulations 333

Sánchez, M.S., see Lletí, R. 87

Sarabia, L., see García, I. 55

Sarabia, L., see Ortiz, M.C. 151

Sarabia, L.A., see Lletí, R. 87

Saurina, J., see Ruckebusch, C. 183

Scindia, Y.M.

-, Pandey, A.K., Reddy, A.V.R. and Manohar, S.B.

Chemically selective membrane optode for Cr(VI) determination in aqueous samples 311

Šedo, O.

-, Billová, S., Peña-Méndez, E.M., Paleček, E. and Havel, J.

Derivatisation of peptides with osmium tetroxide, 2,2'-bipyridine: capillary electrophoretic and MALDI-TOF mass spectrometric study 261

Seguin, J.-L., see Lauque, P. 279

Segura, J., see Jiménez, C. 323

Şimşek, Ö., see Turgut, Ü. 349

Sun, M., see Li, X. 255

Sun, X.-Y.

—, Liu, B. and Jiang, Y.-B.

An extremely sensitive monoboronic acid based fluorescent sensor for glucose 285

Todeschini, R.

- and Buydens, L.

Editorial of the "V Colloquium Chemiometricum Mediteraneum" 1 Todeschini, R.

-, Consonni, V., Mauri, A. and Pavan, M.

Detecting "bad" regression models: multicriteria fitness functions in regression analysis 199

Todeschini, R., see Pavan, M. 167

Torres-Lapasió, J.R.

—, García-Alvarez-Coque, M.C., Rosés, M., Bosch, E., Zissimos, A.M. and Abraham, M.H.

Analysis of a solute polarity parameter in reversed-phase liquid chromatography on a linear solvation relationship basis 209

Toyo'oka, T., see Min, J.Z. 243

Turgut, Ü.

-, Şimşek, Ö., Büyükkasap, E. and Ertuğrul, M.

X-ray attenuation coefficient measurements for photon energies 4.508–13.375 keV in Cu, Cr and their compounds and the validity of the mixture rule 349

Ubide, C., see López-Cueto, G. 109

Ulrici, A., see Antonelli, A. 3

Vanden Branden, K.

- and Hubert, M.

Robustness properties of a robust partial least squares regression method 229

Ventura, R., see Jiménez, C. 323

Xavier Rius, F., see Comas, E. 23

Xavier Rius, F., see Guimet, F. 75

Xiong, S., see Li, X. 255

Zissimos, A.M., see Torres-Lapasió, J.R. 209

Zuriarrain, J., see López-Cueto, G. 109



Vol. 515 Iss. 1 JUL 5

2004